





1.5mm Anti Scratch Acrylic Sheets





MASTER 23 STROKE 24 Being in the wonderful Industry of Interior for many years, we have always strive for variety of Acrylic Sheets from plain to textures to finishes.

Right combination of

Crysta Solid / Sparkle Acrylic Sheets

with variety of

Marble & Wooden Sheets

always enhance the beauty of your Decor.

We thought differently... now it's your turn





























UV RESISTANT

Available in Size: 2440mm x 1220mm (8 Feet x 4 Feet)





To avoid
Duplication,
always Scan
QR CODE
printed on the
sheet, to confirm,
this is a Genuine
GLOIRIO Product.

Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.







Gloirio Crysta Comes with Special Modern Visualizer Features and more...



Scan this qr code to checkout online collection of Gloirio Crysta with Inspiration and Modern My SurfaceVisualizer.





It is easier to visualize your laminate selection in simple three steps.

Always a step ahead...



SCAN ABOVE QR CODE AND OPEN MY SURFACE VISUALIZER.



BROWSE OUR ENTIRE LAMINATES RANGE FROM THE ONLINE CATALOGUE.





PLACE SELECTED LAMINATE ON THE FURNITURE ELEMENT AND GET THE 3D PREVIEW

STEP 03

Social Media Pages

Interactive PDF Catalogue



Instagram



PDF Catalogue



Facebook



Website

























GL - 7995 NEW





























GL - 7996 NEW




























GL - 7991 NEW

















































































































GL - 7997 NEW




























GL - 7998 **NEW**




























GL - 7986 NEW





15mm Anti Scratch Acrylic Shoots


























GL - 7964



GL - 7987 **NEW**

































GL - 7993 **NEW**






























GL - 7971





































GL - 7966



GL - 7961









































GL - 7975

































GL - 7973
































GL - 7979































GL - 7984 NEW

























GL - 7985 **NEW**






























GL - 7982 **NEW**





1.5mm Anti Scratch Acrylic Sheets


















































































GL - 7992 **NEW**




GL - 7994 **NEW**




































GL - 7953



































GL - 7952


































GL - 7951






























GL - 7958































GL - 7981














CRYSTA

1.5mm Anti Scratch Acrylic Sheets

GRADE

D 08















Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.

































Duplication, always Scan QR CODE printed on the sheet, to confirm, this is a Genuine GLOIRIO Product.

Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.









GIOIRIO® style your interior


GL - 7736

GL - 7734

NEW

GL - 7737

NEW







































GL - 7712





GORIO® style your interior









GL - 7851














Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.










GL - 7855









GL - 7861


GL - 7862


S2 NEV





























GEB-14804 D 34 GEB-14801 GEB-14827 GEB-14831 D 36





















To avoid
Duplication,
always Scan
QR CODE
printed on the
sheet, to confirm,
this is a Genuine
GLOIRIO Product.

Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.











GEB-14815






GEB-14841





GORIO® style your interior


D 42
















D 44 GEB-14822 GEB-14802 GEB-14803






















Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.
























D 48



GL - 7813







GL - 7836







GL - 7832




GRADE









GL - 7839



GL - 7829

GORIO® style your interior



GEB-14836 GEB-14832 D 50


GORIO® style your interior


GEB-14830

D 52



















GL - 7821




















To avoid
Duplication,
always Scan
QR CODE
printed on the
sheet, to confirn
this is a Genuine
GLOIRIO Produc

Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.

























Available in Size: 2440mm x 1220mm (8 Feet x 4 Feet)













Duplication,
always Scan
QR CODE
printed on the
sheet, to confirm,
this is a Genuine
GLOIRIO Product.

D 60

Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet.

If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.

17902 GL - 17903 GL - 17904 GL - 17905 _____ D 58



WHO ARE WE?

Gloirio is a leading brand offering best in class furniture laminates. The company has attained the technology prowess and expertise It offers a variety of laminates having unique features like innovative designs and distinctive patterns. Keeping the needs of architects and designers in mind, we have created this folder to portray an assembly of modern and trendy laminates suiting the needs of a classic attic and even contemporary abodes.





COLLECTION

Available in Size : 2440mm x 1220mm (8 Feet x 4 Feet) Thickness : 1.3 mm - 1.5 mm (+-10% Variation)

APPLICATIONS

- Kitchen Tables Doors shelves Cabinets Trolleys
- Bathroom Furniture Heathcare Wall Lining and Horizontal Surfaces Lockers Commercial Hospitality & Restaurant Tables
- Doors Cubicles Lockers Wall Cladding & Partitions.

GENERAL USE & CARE GUIDE

GLOIRIO Acrylic Sheets are manufactured with aesthetics and durability in mind. When used as recommended and with appropriate care, our Acrylic Sheets will last through the years. GLOIRIO laminate are easy to maintain.



To avoid
Duplication,
always Scan
QR CODE
orinted on the
sheet, to confirm,
this is a Genuine
GLOIRIO Product.

ACRYLIC SHEETS

- Cleaning Should be done with water and a clean, non-abrasive cloth.
- To remove more stubborn stains, use mild household cleansers like colin IP gently wipe down with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the laminate.
- Do not place hot cookware directly on the Acrylic Sheets.
 Prolonged exposure to temperatures above 30° degree Celsius may cause damage to the laminate surface.
- Do not use Acrylic Sheets for purposes that it is not intended for (E.g. do not iron, chop, hammer or expose the laminate to open flame.)
- Outdoor application of Acrylic Sheets with exposure to direct sunlight and weather conditions are strict not recommended.
- UV rays may de-shape the laminate.
- Gloss surfaces are recommended only for vertical application.
- Do not use thinner and loluene on the surface of the GLOIRIO Acrylic Sheets. this may cause decourisation of the surface.
- Store the Acrylic Sheets at temperature below 30° degree celsius.
- Typically confirm to internationally recognize technical standards.
- Have a thickness
 balance of +/- 10%
- Peel off the protective film after processing.



spray on the surface



THE WAYS YOU CAN ENJOY THE ROYALNESS OF GLOIRIO ACRYLIC SHEETS TO MAKE YOUR DREAMS ALIVE IN SMART WAY.

To avoid the problems of appearing air bubbles and any yellow colour/dullness or yellow patches problem in the Acrylic Sheets after installation of GLOIRIO laminate, Customer should know the some facts before buying GLOIRIO laminate.

As GLOIRIO Acrylic Sheets is 6H Sheets which have the scratch resistance characteristic and looks like back painted glass or colour Acrylic Sheets.

Please Follow some fact about installation of GLOIRIO Acrylic Sheets.

- Please check the laminate at the time of delivery, check whether it was not damage in transportation & handling and then use for installation.
- Before installing GLOIRIO Acrylic Sheets make sure that sustrate (Plywood, MDF, Particle Board) is good and superior quality of calibrated thickness and even surface.
- If there is usage of any inferior quality or not as per standard quality dipped plywood and dipped lipping patti, kindly scrub dipped colour layer by using sand paper. Then use GLOIRIO Acrylic Sheet to avoid yellow colour patches.
- Clean the surface of substrate (Plywood, MDF, Particle Board) to make free from dust of grease by cloth, soft brush, sponge or sand paper.
- Always use water base PVACP (Polyethylene Vinyl-Acetate Co-Polymer) Adhesive like GLOIRIO BOND for GLOIRIO Acrylic Sheets.
- Stir the adhesive before using it, and do not mix water in adhesive.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on both GLOIRIO Acrylic Sheets and substrate (Plywood, MDF, Particle Board).
- Please do not use the GLOIRIO Acrylic Sheets more than 4 Ft x 2 Ft Also leave at least 2mm
 of groove between two pieces of GLOIRIO Acrylic Sheets, so that at the time of pressing it will
 be easy for removing air from between of GLOIRIO Acrylic Sheets and substrate (Plywood,
 MDF. Particle Board)
- Use soft pinch roller or normal pressing technique at the time of pressing GLOIRIO Acrylic Panels on the substrate (Plywood, MDF, Particle Board). And also pressing should be done from the middle of the panel and move towards to side line and corners of panel. So that air between the GLOIRIO laminate and substrate (Plywood, MDF, Particle Board) will Removed.
- Please make sure, to give sufficient amount of pressing to GLOIRIO Acrylic Sheets for almost 12hrs to 15hrs to achieve full bonding strength. Special care for vertical application.
- Please do not use synthetic rubber adhesive (SR, JAT Pat, Bostic, Heatxetc.)
- After the installation of GLOIRIO Acrylic Sheets please avoid the direct sunlight on it.
- Please don't place hot cookware directly on the GLOIRIO Acrylic Sheets. Prolonged exposure to temperature above 30^oC may cause patches to GLOIRIO Laminate.

IMPORTANT INFORMATION

WHY AIR BUBBLE APPEARS IN BETWEEN ACRYLIC AND SUBSTRATE (plywood, Mdf, Particle Board) AFTER THE INSTALLATION?

- There are many reasons which lead to air bubble problems are follow as :
- Bonding of Acrylic Sheets under high humidity atmosphere
- Using of water base syrtheliaeasin adhesive or other than PVACP (Polyethylene Vinyl Acetate Co-polymer) adhesive may also lead to air bubble after the installation Acrylic Sheets.
- Many of time due to uncertain weather conditions Substrate
 (Plywood, MDF, Particle Board) absorbed moisture. After few days of installation Acrylic Sheets on substrate, substrate gradually loses moisture. The moisture is the result of air bubble between Acrylic Sheets and substrate after installation.
- Using odd uneven surface Substrate (Plywood, MDF, Particle Board) Lead to debone at particular area of Acrylic Sheets and air bubble appear at that area after the installation.
- When more than 4'X 2' of Acrylic Sheets is used for paneling, it can lead to air bubble after installation
- Lack of pressing and short period of pressing at the time of bonding period of Acrylic Sheets also lead to air bubble after the installation of Acrylic laminate.

GLOIRIO Acrylic Sheets should be kept evenly Straight. if the sheets are in roll form it Should kept straight for minimum 48 hours and then you can press and laminate on the surface for better results.

WHY YELLOW PATCHES AND COLOUR FADE PROBLEM APPEARS AFTER THE INSTALLATION OF ACRYLIC SHEETS?

The reason behind this problem is as follows:

- When Acrylic Sheets experiences or faces direct fall of sunlight on it which leads to discolouring, fading and yellowness in laminate.
- Using of inferior quality or not as per standard quality dipped plywood & dipped lipping patti may lose the colour due to chemical reaction between adhesive at the time of bonding period and yellow patches appear after the installation.
- Using synthetic rubber adhesive (SR / JatPat, Bostic, Heatex) lead to colour patches on Acrylic Sheets.
- Prolonged exposure temperature above 30° cor placing hot cookware directly on the Acrylic Sheets cause patches on Acrylic Sheets surface.

PRODUCTS RANGE

















ARTISTIC WALL PANELS FROM KOREA











2 mm acrlic laminates

















www.gloirioworld.com For more details subscribe to our 🖪 YouTube channel 'GLOIRIO VOUGUE DECOR' for information about products, its installation and new exciting offers



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

Gloirio is not liable or gives any guarantee for air bubble and cracks after installation of Gloirio Crysta Acrylic Sheet. If any complaint of manufacturing defect it has to be informed to the company, before application of Acrylic sheet. After application company will not be liable of any cost or complaints.

