

SOLID  
COLOR  
BOOK



**LABACHA LAMINATES**

Vijay Silk Print Compound,  
V4/V5/V6, A.K. Road, Opp. Saki Naka,  
Telephone Exchange, MUMBAI-72.

+91 86556 05571  
+91 86556 05572

Mail : [labachalaminat@gmail.com](mailto:labachalaminat@gmail.com)  
Web : [www.rjdecorlabacha.com](http://www.rjdecorlabacha.com)

THE  
SOLID  
COLOR  
BOOK



1.00 MM.  
DECORATIVE  
LAMINATE SHEET


1.00 MM.  
DECORATIVE LAMINATE

S O L I D  
C O L O R  
B O O K



**Artistic Color**  
**EXPLORATION**

Embark on an artistic adventure where you experiment with various color palettes, mediums, and techniques. You could create vibrant paintings, intricate drawings or even colorful digital art.



**SOLID**  
**COLOR**

**INDEX**

VERTICAL  
SOFT LINE

01

VERTICAL FLUTE  
HIGH GLOSSY

07

SNAKE  
NYLON

09

SILK  
TOUCH

13

VERTICAL  
FLUTE

23

ZERO  
FINISH

27

GEMS  
STONE

29


HIGH  
GLOSS

31




# COLORS OF STEERING

As a blind man has no idea of colors, so have we no idea of the manner by which the all-wise God perceives and understands all things. Read more at



VLS 2550



VLS 2503



VLS 2505




VLS 2519


# 100 % Pure Phenolic Laminate  
# European Base Paper & Texture



Surface **VERTICAL SOFT LINE** Thickness **1.00 MM.**



VLS 2553



VLS 2541



VLS 2555




# COLORS OF DOVE


Some doves have a beige or creamy-colored plumage, giving them a subtle and soft appearance.

Surface  
VERTICAL SOFT LINE


Thickness  
1.00 MM.




VLS 2556



VLS 2557



VLS 2510



VLS 2551



VLS 2509




VLS 2511



# COLORS OF TEN BOWLING

Bowling is a game of mistakes. Generally, whoever makes the fewest comes out the best.




VLS 2527



VLS 2513




VLS 2546




VLS 2554

Surface VERTICAL SOFT LINE Thickness 1.00 MM.



VLS 2526



VLS 2514



VLS 2515



VLS 2548



VLS 2545




# COLORS OF PINS

As a blind man has no idea of colors, so have we no idea of the manner by which the all-wise God perceives and understands all things.

Surface  
VERTICAL FLUTE HIGH GLOSSY


Thickness  
1.00 MM.



VF HG 2538



VF HG 2540



VF HG 2531




VF HG 2535




VF HG 2534



VF HG 2533



VF HG 2532




VF HG 2539



VF HG 2536



VF HG 2544




VF HG 2537






# COLORS OF SEASHELL

Out of seashell suffering have emerged the strongest souls; the most massive characters are seared with scars



SN 2548



SN 2556




SN 2510



SN 2545

Surface SNAKE NYLON


Thickness 1.00 MM.



SN 2557



SN 2509



SN 2511




# COLORS OF ANCHOR


The fall is my favorite time of year. I love the colors. The sun is out, you get warmth on your skin but there's the coolness of the breeze. It's really comfortable. Read more at

Surface  
SNAKE NYLON

Thickness  
1.00 MM.



SN 2512




SN 2505



SN 2555



SN 2546



SN 2503



SN 2519



SN 2551



SN 2550








# COLORS OF STAPLES


Colors answer feeling in man;  
shapes answer thought;  
and motion answers will. Read more at

Surface SILK TOUCH


Thickness 1.00 MM.




ST 2522



ST 2550




ST 2551



ST 2503



ST 2519



ST 2504



ST 2523



ST 2524



ST 2506



ST 2505



ST 2507






# COLORS OF SAND


The color of sand can also have a yellow or golden hue, which may be due to the presence of minerals like iron.

Surface SILK TOUCH


Thickness 1.00 MM.



ST 2508



ST 2556



ST 2558




ST 2520




ST 2509



ST 2510



ST 2502



ST 2557



ST 2545



ST 2525



ST 2511






# COLORS OF LIME

Keep in mind that there can be variations in what people perceive as "lime" green, so the exact shade may differ slightly in different contexts and interpretations.




ST 2512



ST 2553



ST 2555



ST 2541



ST 2542



ST 2521

# 100 % Pure Phenolic Laminate  
# European Base Paper & Texture




Surface  
SILK TOUCH


Thickness  
1.00 MM.



ST 2516



ST 2526



ST 2514



ST 2515



ST 2548




# COLORS OF SEA


These colors are often seen in clear, tropical waters and can vary depending on the presence of coral reefs, marine life, and the angle of the sun.

Surface SILK TOUCH

Thickness 1.00 MM.



ST 2517



ST 2528



ST 2513




ST 2530



ST 2529



ST 2518





ST 2527




# COLORS OF SLATE

Blue-Gray: Certain types of slate may have a bluish or bluish-gray tint, adding a touch of coolness to its appearance.



ST 2601




ST 2602



ST 2559

Surface  
**SILK TOUCH**

Thickness  
**1.00 MM.**



ST 2552



ST 2554



ST 2543




ST 2546





# COLORS OF BEAUTY

Beauty is a subjective concept that can be associated with a wide range of colors, as well as cultural and personal preferences. Different colors can evoke different emotions and ideas of beauty in various contexts.



VF 2514



VF 2509



VF 2510




VF 2511


# 100 % Pure Phenolic Laminate  
# European Base Paper & Texture



Surface **VERTICAL FLUTE** Thickness **1.00 MM.**



VF 2502



VF 2504



VF 2505




VF 2506



# COLORS OF EARTH

The Earth is often referred to as the "Blue Planet" because the dominant color of the planet is blue. This blue color is primarily due to the vast amount of water on Earth's surface, especially in its oceans.



VF 2527



VF 2529



VF 2530



VF 2543


Surface VERTICAL FLUTE Thickness 1.00 MM.



VF 2541



VF 2516



VF 2515




# COLORS OF PEARL


Pearl is an ancient organic gem. Magnificent colors and elegant pearls representing health, purity, wealth and happiness, loved by people.

Surface  
ZERO FINISH


Thickness  
1.00 MM.




ZF 2509




ZF 2511



ZF 2502



ZF 2519



ZF 2524



ZF 2507



ZF 2504




ZF 2505






## COLORS OF DESERT

Many deserts are characterized by vast expanses of sand, which can range in color from pale beige to golden yellow, depending on the mineral content of the sand.



GS 2534



GS 2531




GS 2533



GS 2535

Surface  
GEMS STONE


Thickness  
1.00 MM.



GS 2532



GS 2508




GS 2536




# COLORS OF STONE


The color of stones, whether they are minerals, gemstones, or rocks, can vary significantly depending on their mineral composition, location, and geological history. Here are some common colors associated with stones



HG 2601



HG 2602



HG 2550



HG 2534




HG 2535



HG 2533

Surface  
HIGH GLOSS

Thickness  
1.00 MM.



HG 2531



HG 2532



HG 2536






# COLORS OF DOVE


Some doves have a beige or creamy-colored plumage, giving them a subtle and soft appearance.

Surface HIGH GLOSS


Thickness 1.00 MM.



HG 2522



HG 2503




HG 2551




HG 2519




HG 2559



HG 2504



HG 2523



HG 2524



HG 2506



HG 2505



HG 2507




# COLORS OF CHOCO

Chocolatiers often create decorative chocolates using a variety of colors by adding food coloring to white or dark chocolate. This allows them to craft artistic and colorful designs.

Surface HIGH GLOSS

Thickness 1.00 MM.




HG 2502




HG 2558



HG 2545




HG 2508



HG 2557




HG 2548




HG 2556



HG 2511



HG 2520



HG 2509



HG 2525



HG 2510





# COLORS OF NATURE

Green is a dominant color in nature, primarily due to the presence of plants, trees, and foliage. It represents life and growth.



HG 2512



HG 2541



HG 2542



HG 2521



HG 2555

# 100 % Pure Phenolic Laminate  
# European Base Paper & Texture




Surface HIGH GLOSS

Thickness 1.00 MM.




HG 2516



HG 2526



HG 2515




HG 2514



# COLORS OF TURQUOISE

Turquoise is associated with bodies of water, such as oceans, lakes, and rivers. It also represents the sky on a clear day.



HG 2552



HG 2513



HG 2554



HG 2517




HG 2528



HG 2543

Surface  
HIGH GLOSS


Thickness  
1.00 MM.



HG 2527



HG 2553



HG 2529



HG 2530









HG 2518



HG 2546



## TECHNICAL SPECIFICATION

	PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995	LABACHA CONFIRMS
	Thickness	1mm (± 10%)	✓
	Resistance to surface wear	350 (revolution)	✓
	Resistance to immersion in boiling water		
	- Mass increase (%)	10.0 Max.	✓
	- Thickness increase (%)	11.8 Max.	✓
	Resistance to dry heat 180° C	Not worse than 4	✓
	Dimensional stability at deviated temperature		
	- longitudinal (%)	0.5 Max.	✓
	- Transverse (%)	0.9 Max	✓
	Dimensional stability at 20° C		
	- longitudinal (%)	0.375 Max.	✓
	- Transverse (%)	0.60 Max.	✓
	Resistance to impact by small diameter ball	20N Min.	✓
	Resistance to cracking	Not worse than 4	✓
	Resistance to scratching	2N Min.	✓
	Resistance to staining	Not worse than 5	✓
	Resistance to colour change ( Wool standards)		
	- In Xenon arc light	Not worse than 6	✓
	- in enclosed Carbon arc light	Not worse than 5	✓
	Resistance to cigarette burns	Not worse than 3	✓
	Resistance to steam	Not worse than 4	✓
	Appearance	Should be free from foreign particles	✓

All testes may not valid for embossed & metallic laminates.



keep away from  
direct sunlight





engineered for  
interior use only



carpenter friendly  
easy to use

Product	: High Pressure Decorative Laminated Sheets
Size	: 2440 mm x 1220 mm (8'x4')
Thickness	: 1 mm and 1.5 mm ( other thickness available on request)
Product Conformity to	: British European standard-bs en 438, american nema Id-3, BIS (Bureau of Indian Standard ) IS-2046.
Limited Warranty	: Labacha ensures that its products are fairly free from any manufacturing defects. Manufacturing specification of a product may observe insignificant anomaly due to rigorous usage over time. Otherwise, our product warranty extends to maximum one year from the date of purchase from Labacha, exclusive to one buyer only. It is advisable to inspect products bought from us prior to their installation. Because, we do not cover for accidents, lack of care, abusive/improper usage of our products afterward. Poor workmanship or any kind of alteration done to Labacha products after their purchase will only be considered as going against the manufacturer's maintenance and installation guidelines. Because of various applications, our liability extends till the selling of our products.
Care & Maintenance	: Place felt floor protectors under the legs of moveable furniture. Use dust mop as primary cleaning method. No wet mopping. Occasionally damp mop with water can be used. Do not pour liquid directly on floor or use a wet mop that will puddle or leave moisture standing on the floor. Do not use detergents, abrasive cleaners, soaps, waxes or polishes. Use correct hard surface vacuum tools. Do not use rotating beater bars, floor scrubbers, steamers, jet mops, buffers or similar products. Do not allow liquids to stand on the floor. Wipe up spills immediately.
Note	: 1. Sample presented are indicative of color, pattern and surface finish but of actual thickness, high gloss sheets are recommended for vertical application only. 2. Finishes other than shown in here are available on request.

### Limited Warranty



LABACHA warrants that, under normal use, the material and workmanship of its products shall confirm to the standards set forth on the applicable technical datasheet for a period of twelve (12) months from the date of sale to first consumer purchaser. Dealers and distributors are provided with the technical data sheet, which contain specific standards of performance for the product. In the event that the product does not perform as warranted, the purchaser's sole remedy shall be limited to repair or replacement of all or any part of the product, which is defective. at the manufacturer's sole discretion. This warranty is not transferable, and expires upon resale or transfer by the first consumer purchaser.

This warranty shall not apply to defects or damage arising from any of the following : accidents, abuse or misuse, exposure to extreme temperature, improper fabrication or installation & improper maintenance.



**No Warranties**  
On Corner Crack  
(use Drill While Cutting)



**No Warranties**  
On Air Bubbles  
(be Careful On  
Vertical Pasting)



**Keep Away From  
Direct Sunlight**  
(be Careful On to Prevent Fade  
in Color Or Any Shade Variation)